



JBC810C7A-1900-6C


Intel® Bay Trail-D J1900 2.0GHz/QC, 4GB DDR3L/1333MHz, 6* COM support isolated $\pm 2500V$



1. Intel® Bay Trail-D J1900 2.0GHz/QC CPU
2. 4G 1333MHz DDR3L SAMSUNG DRAM
3. 4*RS232 Support isolated $\pm 2500V$
4. 2*RS485 Support isolated $\pm 2500V$
5. Support 2* Intel® I211AT Gigabit LAN
6. Support 2 * USB3.0 , 2 * USB2.0
7. Support 1*M.2(2242/2280, BY SSD)
8. Support 1*MINI PCIE
9. Support SIM Card socket
10. Support 1*2.5" HDD Device
11. 9-24V DC IN Support, with EOS, OVP design



External I/O




Specifications

MB Model	JNC7A-P1900-4G
Part No	● HBJC802C7AJ-1900-6C
BIOS	AMI 64MB SMT Flash ROM
CPU/Chipset	● INTEL® Bay Trail-D J1900 2.0GHz/QC CPU
Memory	4G 1333MHz DDR3L SAMSUNG DRAM
Storage	● 1 * 2.5" SATA 3Gb/s internal drive bay ● 1 * M.2 Socket (2242/2280)
Network	● 2 * Intel® I211AT Gigabit LAN
Rear I/O	● 2 * USB3.0 ports ● 2* USB2.0 ports ● 4* RS232 Support isolated $\pm 2500V$ ● 2* RS485 Support isolated $\pm 2500V$ ● 2* RS232/422/485 ● 1 * VGA ● 2 * RJ45 ● 1* Line-out + MIC ● 1 * DC Jack (Lock) ● 1* Power Button
Power Source	● DC 9 ~ 24V input
Compliance	CE, FCC, RoHS, ErP Ready(Optional)
Temperature	Operating Temperature: -10~60 °C Storage Temperature: -20-70 °C
Dimensions	229.2 (W) x 144.0 (D) x 50.0 (H) mm
Packing	● Net Weight: XX KG ● Gross Weight: X KG ● Color Box dimension: XXX (W) * XXX (D) * XXX (H) mm
OS Support	32/64 bit versions of Windows 7, Windows 8.1, Windows 10, Linux
Warranty	2 Year limited warranty

*Specifications subject to change without notice, not responsible for typographical errors. Does not include HDD or OS.

Mechanical Drawings (Unit = mm)



Optional Accessories

Parts Number	Description
-----	JBC802C7A-1900-6C
-----	Power cord
Adapter	1* 12V/60W Adapter
G03-NC6I-F	IPC NC7A-P1900-4G M/B User's Manual
G02-DVD20-A15-WF	Mini-ITX INTEL Baytrail DVD DriverA15+白套